FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

7

DECK
LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LIEUTENANT JAMES R. WILLIAMS, U. S. N.

Attached to { ____ Division,
SERVICE SQUADRON FIVE Squadron,
____ Flotilla,
SERVICE FORCE, U.S. PACIFIC Fleet,
FOURTEENTH Naval District,

Commencing ~~I~~ +10 1 JAN (zone time and date), 1966,

at U.S. NAVAL SHIPYARD, Pearl Harbor, Hawaii (location),

and ending +10 31 JAN (zone time and date), 1966,

at U.S. NAVAL SUBMARINE BASE, Pearl Harbor Hawaii (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE SATURDAY (Day) 1 (Date) JANUARY (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Moored port side to Berth Bravo Twenty (B-20), U.S. Naval Shipyard, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet -, District and yard craft. SOPA is CinCPacFlt. 0755 mustered the crew on stations. Absentees: None.

CWO J.L. Hollis, USN

~~04-08~~ 08-24 Moored as before. 1000 Set material condition Yoke (modified)

Ens. F.C. Higgins

APPROVED:

LT James L. Williams U. S. N. COMMANDING

EXAMINED:

LT R.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SUNDAY 2 JANUARY 19 65
(Day) (Date) (Month)

AT/P~~ASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored port side to berth Bravo Twenty (B-20) U.S. Navy Shipyard, Pearl Harbor, Hawaii. Set Standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships project includes various units of the U.S. Pacific Fleet, District and Yard craft. S.O.P.A. is Cin Pacflt. 0745 mustered the crew on stations; absentees, none.

Ens F.C. Kingcine, USNR

08-24 Moored as before. 1800 set Material Condition Yoke modified.

LTJG D.T. Johnson, USNR

APPROVED:

LT James R. Peterson U. S. N. COMMANDING

EXAMINED:

LT R.D. Rasor U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10½ DATE MONDAY (Day) 3 (Date) JAN (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION ZONE TIME	POSITION ZONE TIME	POSITION ZONE TIME	LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
0800	1200	2000	
L _____ BY _____	L _____ BY _____	L _____ BY _____	
λ _____ BY _____	λ _____ BY _____	λ _____ BY _____	

REMARKS

00-08 Moored Port side to berth Bravo-Twenty (B-20) U.S. Naval Shipyard, Pearl Harbor, Hawaii, with standard mooring lines doubled. Receiving Miscellaneous stores from the pier. Material condition Yoke Modified is set. Ships present include various units of the U.S. Pacific Fleet Yard and District craft. SOPA is CINCPACFLT. 0730 Mustered the crew on stations, absentees: None. Commenced making preparations for getting underway. 0745 Set Material Condition Yoke.

LTJG D F Johnson, USNR

08-12. Moored as before. 0800 Station Special Sea Detail. 0817 Completed all preparations for getting underway. Draft: forward 14'-2" aft 14'-6". 0840 Underway in accordance with verbal orders of Commanding Officer enroute to berth WHISKEY ONE (W-1) to on load ammunition. Maneuvering to clear berth anchorage. Captain at the Conn. Navigator on the bridge. 0846 Steering various Courses at various speeds standing out of Pearl Harbor Channel enroute to (W-1) 0847 Conn given the Conn. 0916 Commenced maneuvering to enter berth W-1. 0930 Moored starboard side to berth W-1, U.S. Naval ammunition Depot, WEST LOCH, Pearl Harbor, Hawaii.

LTJG D F Johnson, USNR

08-12 (CONTINUED) 0945 COMMENCED LOADING AMMUNITION.

LTJG M J Arisetta

12-24 MOORED AS BEFORE. 1417 COMPLETED LOADING AMMUNITION, HAVING RECEIVED 364 ROUNDS OF 3"/50 AMMUNITION FROM NAD, WEST LOCK, OAHU, HAWAII. MADE ALL PREPARATIONS FOR GETTING UNDERWAY. 1455 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1511 UNDERWAY WITH VERBAL AUTHORITY (Port Services Officer, Pearl Harbor) TO SHIFT BERTHS. DRAFT: FWD. 15'3", AFT 14'3". CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD AT THE CONN. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE TRANSITING THE WEST LOCK CHANNEL. 1531 COMMENCED MAKING PASSES ACROSS DEGAUSING RANGE. 16-25 COMMENCED STEERING VARIOUS COURSES

APPROVED: Lt James R Williamson U. S. N. COMMANDING

EXAMINED: LT R S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABHAKI ATF-96 DATE MON. (Day) 3 (Date) JAN. (Month) 19 66 mjm

REMARKS-CONTINUED

12-24 (CONT) AT VARIOUS SPEEDS WHILE TRANSITING THE PEARL HARBOR CHANNEL INBOUND. COMPLETED DEGAUSING RUNS. 1649 MOORED ~~STARBOARD~~ SIDE TO BERTH S-7 (AFT), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. ALL CONDITIONS REMAIN AS BEFORE. mjm 1800 1725 COMMENCED FUELING FROM THE PIER. DRAFT: FWD. 15' AFT 14'2". 1800 SET MATERIAL CONDITION YOKE (MODIFIED). 2018 COMPLETED TAKING ON FUEL ~~HAND~~ RECEIVED ~~GALLONS~~ FROM NSC, PEARL HARBOR. DRAFT: FWD. 13'11"; AFT 16'10". N N

LTJG mjm Doucette, USN

APPROVED: EXAMINED:

Lt James R Wilkinson U. S. N. COMMANDING LT R S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUES. (Day) 4 (Date) JAN (Month) 19 66

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED PORT SIDE TO BERTH S-17(AFT), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPAC. 0645 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0710 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. 0727 UNDERWAY IN ACCORDANCE WITH COMFAIRHAW O/ORD 1-66 TO CONDUCT ISE. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD AT THE CONN. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO THE PEARL HARBOR HAWAII CHANNEL, OUTBOUND.

LTJG M.J.M. Deisette, USN

08-12 UNDERWAY AS BEFORE. 0805 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. PASSED MID-WAY BETWEEN BUOYS 1 AND 2.

LTJG Morisette, USN

08-12 (CONTINUED) Underway as before. 0807 C/C to 153° PGC 0819 C/C to 258° 0820 Entered International Waters. 0823 C/C to 255° 0835 C/C to 196° 0837 C/S to 9.5 kts. 0841 C/C to 092° 0843 C/S to 6.7 kts 0845 C/C to 090° 0846 C/S to Stop, C/S to 6.7 kts. 0847 Commenced anchorage Detail 0850 C/S to 9.5 kts 0903 C/C to 066° 0905 C/S to 6.7 kts. 0908 C/C to 063° 0921 C/S to 3.3 kts 0925 C/C to 068° 0932 C/C to 057° 0940 C/C to 055° 0942 C/C to 056° 0944 C/S to Stop. 0945 C/S to 3.3 kts, C/C to 058°. Maneuvering at various speeds, on various courses while conducting anchoring drills. 1142 Completed Anchoring drills. C/S to 9.5 kts, C/S to 6.7 kts. 1144 Captain

Ens. H.C. Higgins, USNR

APPROVED:

Lt James R Hutchison U. S. N. COMMANDING

EXAMINED:

LT D S Dason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE TUESDAY 4 JAN. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Underway as before 1200 c/c to 270° 1236 c/c to 090° 1305 Commenced man overboard drill. 1314 Secured from man overboard drill 1323 c/c to 270° 1336 Set highline detail.

LTJG D.F. Johnson USNR

12-16 (Continued). Underway as before 1336 c/s 3.3 KTS; c/c 090. 1402 Commenced steering various courses at various speed while conducting Highline Exercise with USS Goldsborough (DDG-20). 1411 Commenced approach. 1415 Along side Goldsborough. 1418 Highline fast. 1425 Coaling bag sent to Goldsborough. 1427 Coaling bag returned to ABNAKI. 1434 Commenced retrieving highline. 1436 all Lines clear; secured highline detail. 1434 c/c 098°, c/s 12.3 KTS. 1444 c/s 6 KTS c/c 000° 1501 Exercised crew at general quarters 1505 c/s 3.3 KTS c/c 270°; Moored cordelan Zebra Zet. 1528 Set Moored cordelan Yoke. 1535 SET Moored cordelan Zebra. 1536 c/c 355° 1539 c/c 022 1546 Simulated rocket hit STBD Side aft. 1549 c/c 090 1552 c/c 120. Simulated Fire in compartment C-202-2. 1558 Entered inland waters

LT R.S. Moon. USN

16-20 - Underway as before. 1620 Set moored cordelan Yoke. 1624 c/s 33 KTS. 1625 Secured from G.Q; SET Special Sea and anchor detail. 1629 c/s 9.5 KTS. 1630 c/c 333°. Commenced steering various courses at various speeds to conform with Pearl Harbor channel and moor at berth S-17. 1751 Moored STBD Side Berth S-17; U.S Naval Submarines Base, Pearl Harbor Hawaii. Ships present includs various unit of the U.S. Pacific fleet. SOPA is CINCPACFLT

LT R.S. Moon, USN

16-20 (CONTINUED) MOORED. AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

LTJG M. Smariatte, USN

20-24 MOORED AS BEFORE.

LTJG M. Smariatte, USN

APPROVED: EXAMINED:

LT James R. Schreiber U. S. N. COMMANDING LT R.S. Moon U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABHAKI ATF-96 ZONE DESCRIPTION +10 DATE WED (Day) 5 (Date) JAN. (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

00-08 MOORED PORT SIDE TO BERTH S-17(AFT), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

LTJG M. Marcotte, USN

08-24 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

ENS F.C. Higgins, USNR

APPROVED:

Lt James L. Williams U. S. N. COMMANDING

EXAMINED:

LT D.S. Boar U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THURS (Day) 6 (Date) JAN (Month). 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Moored portside to berth Sierra Seventeen (S-17) aft. U.S. Naval Submarine Base, Pearl Harbor, Hawaii. Both standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and District craft. S.O.P.A. is CinCPac flt. 0430 Mustered the 0415 Commenced preparations for getting underway. 0430 Mustered the predeparture stations, all hands, more. Set Material Condition Yoke 0440 ~~Set~~ Stationed the special Sea and Anchor Details. Completed all preparations for getting underway. Draft: forward 14'3", aft 16'3". 0503 Underway for local Op area in accordance with FTGp OpO 1-66. Maneuvering to clear the berth. Captain and Navigator on the bridge. 0516 Steering various courses at various speeds standing out of Pearl Harbor. 0546 Secured the special sea and anchor Detail, set the regular steaming watch. 0547 passed sea buoy number Two 100 yards to starboard. 0553 entered international waters. 0558 C/C to 280° 0559 C/C to 290° 0602 C/C to 305° 0609 C/C to 219° 0610 C/C to 315° 0625 C/C to 290° 0636 C/C to 215° 0731 C/C to 250° 0739 Commenced exercise at general quarters. 0742 C/S to 6.7 kts 0745 Mount 31 ~~+~~ manned and ready. 0746 Set Material Condition Zebra, C/C to 180° 0752 Commenced test firing, ceased fire.

ENS T.C. Higgin, USNR

00-12 Underway as before 0800 Commenced firing 0801 Ceased firing. 0802 C/C to 000° 0807 Commenced Z-21-G with USS CONSERVER 4 RS + 39 Maneuvering on various courses at various speeds. 0829 Comenced firing 0850 Ceased Fire from Z-21-G 0905 Commenced Z-27-G 0909. Ceased firing Z-27-G 0915. Set Material Condition Yoke. 0930 C/C to 110. 0932 C/S to 9.5 KTS. 0934. Secured from general quarters. Expended 35 Rounds of 3 inch projectiles with no casualties. 1009 C/C to 120° 1127 C/C to 140°

LTJG DJ Johnson USNR

APPROVED: EXAMINED:

Lt James R Williams U. S. N. COMMANDING LT DJ Johnson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE THURSDAY (Day) 6 (Date) JAN. (Month) 1966

REMARKS-CONTINUED

~~08-12 (Continued)~~ Underway as before. 1009 C/C to 120° 1127 C/C to 140° DJJ.

~~LTJG DJ~~ Johnson, USNR.

12-16 UNDERWAY AS BEFORE. 1220 C/S TO 9 KTS. 1224 C/C TO 090. 1226 C/C TO 025. 1255 C/C TO 205. 1300 EXERCISED THE CREW AT GENERAL QUARTERS. 1315 COMMENCED Z-3-G EXERCISE. *1341 COMMENCED FIRING TO PORT AND STARBOARD (ALTERNATE RUNS). 1402 CEASED FIRING. 1403 SET MATERIAL CONDITION YOKE. 1411 SECURED FROM GENERAL QUARTERS. AMMUNITION EXPENDED: 18 ROUNDS 3" UT ~~(FRAG)~~ (NON-FRAG), 6 ROUNDS 3" UT (FRAG). WITH NO CASUALITIES. *1320 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING GUNNERY EXERCISES. 1418 C/S TO 12 KTS. 1426 C/C TO ~~205~~ 295. 1427 C/S TO 12.3 KTS. MJM

LTJG MJMariatte, USN

16-18 Underway as before. 1603 C/C 200°, C/S 3.3 KTS. 1703 C/C 340°, C/S 6.7 KTS.

Lcwo JL Hallis. USN

18-20 Underway as before. 1903 C/C to 040°

Ens. HC Higgins, USNR

20-24 Underway as before. 2200 C/C to 220° 2330 C/C to 040°

LTJG DJ Johnson, USNR.

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT DJ Rasen, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 7 (Date) JAN (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~ LOCAL OP-AREA "B-P"

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____

POSITION	ZONE	TIME
1200		
L _____	BY	_____
λ _____	BY	_____

POSITION	ZONE	TIME
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 STEAMING INDEPENDENTLY OFF THE SOUTHERN COAST OF OAHU, HAWAII CONDUCTING INDEPENDENT SHIP EXERCISES IN ACCORDANCE WITH COMPATRAGRU PEARL OPSKED 1-66. MATERIAL CONDITION YOKE SET. CONDITION OF READINESS, IV. BASE COURSE 040, BASE SPEED 6.7 KTS. 0100 C/C TO 220. 0230 C/C TO 040. 0330 EXCHANGED CALL SIGNS WITH USNS BRENTON AKVS.

LTJG M.J. Maisette, USN

04-08 Steaming as before. 0400 C/C 320°, 0440 C/C 190°, 0447 C/C 320°, 0530 C/C 040°, 0700 C/C 050°, C/S 9.5 KTS.

LCDR J.C. Hollis, USN

04-08

08-12 Underway as before. 0802 C/C to ~~3.3~~ 3.7 kts 0804 C/C to 090°. 0838 C/C to 9.5 kts. 0839 C/C to 6.7 kts. 0840 C/C to 270° 0845 Commenced ~~[illegible]~~ TACTICAL EXERCISE. 1004 COMPLETED TACTICAL EXERCISE. 1006 C/C TO 12.5 KTS. 1007 C/C TO 090°. 1008 C/C TO 085° 100 C/C TO 110°. 1019 C/C TO 010°. 1021. COMMENCED STEERING VARIOUS COURSES, AT VARIOUS SPEEDS WHILE CONDUCTING TOW AND BE TOWED EXERCISE WITH THE U.S.S. CONSERVER (ARS-39) SET TOWING DETAIL. 1142. COMPLETED TOW AND BE TOWED WITH U.S.S. CONSERVER (ARS-39) 1151 SECURED THE TOWING DETAIL. 1135 C/C TO 270°. 1168 C/C TO 275.

LTJG F.C. Higgin, USNR

12-16 Underway as before. 1239 C/C to 296 C/S to 12.6 KTS, 1240 C/C to 310. 1242 C/C to 252. 1255 C/S to 3.3 KTS 1258 C/C to 072. Commenced Running the measured mile. Maneuvering on various courses at various speeds while running measured mile. 1337. Exercised the crew at general quarters. 1341 Material Condition Yoke is set. 1346 Set Material Condition Circle William 1350. Water wash down system activated 1403. Secured Water Wash down system. 1405 Set Material Condition Yoke. 1407 Set Material Condition Yoke. 1413. Secured from General Quarters. 1505. Secured from Running measured Mile. C/C to 055° 1509. C/C to 057° C/S to 12.6 KTS 1510 C/S to 9.6 KTS 1512 C/C to 059. 1513 C/S to 6.7 KTS C/C to 092° 1516 C/C to 085 1558 C/S to 9.6 KTS

LTJG D.T. Johnson, USNR

APPROVED: LT James A. Williams U. S. N. COMMANDING

EXAMINED: LT R.S. Noa U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS AGHARI ATF-96 DATE FRIDAY 7 JAN. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

16-20 UNDERWAY AS BEFORE. 1607 C/C TO 345. SET THE SPECIAL SEA AND ANCHOR DETAIL. 1611 ENTERED INLAND WATERS. 1612 C/C TO 338. 1614 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO THE PEARL HARBOR, HAWAII CHANNEL. 1617 PASSED BUOY 2 ABEAM TO STBD, 100 YDS. 1640 MOORED STARBOARD SIDE TO BERTH A-6, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPAC FLT. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

LTJG M Smariotte, USN

20-24 MOORED AS BEFORE.

LTJG M Smariotte, USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 8 (Date) JAN (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO _____

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED STARBOARD SIDE TO BERTH A-6, U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE (MODIFIED) SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. ~~SOPA IS CINCPACFLT.~~ 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. N

LTJG D. Gmorsette, USN

08-24 moored as before. 1800 set material condition Yoke (modified). 1815 mustered the duty section fire party. Absentees: none.

CWO J.D. Hollis. USN

APPROVED:

LT James L. Williams U. S. N. COMMANDING

EXAMINED:

LT D.J. Moore U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SUNDAY (Day) 9 (Date) JANUARY (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 moored Starboard side to berth Alfa Six (A-6), U.S. Naval Station, Pearl Harbor, Hawaii, with Std. mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small craft. S.O.P.A. is Cinc, Pac Flt. 0745 Mustered the crew on Stations. Absentees: None.

Lcwo J.C. Hollis, USN

08-24 moored as before. 1800 set material condition yoke (modified).

Lcwo J.C. Hollis, USN

APPROVED: EXAMINED:

[signature] U. S. N. COMMANDING LT [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE MONDAY (Day) 10 (Date) JANUARY (Month) 1966

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 moored Starboard side to berth alfa six (A-6) U.S. Naval Station pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. ~~Ships~~ material condition Yoke (modified) Set. Ships present include various units of the U.S. Pacific Fleet, District, and Small Craft. S.O.P.A. is CinC-Pac Flt. 0745 mustered the crew at Quarters. — Absentees: none.

Lewis J. Hollis, USN

08-24 Moored as before. 1220 commenced making preparations for getting underway. Set Material Condition Yoke. 1240 Stationed the special sea detail. 1300 Completed all preparations for getting underway. Draft: forward 16'-8", aft 16'-3". 1313 Underway from berth alfa six (A-6) to berth alfa two (A-2) outboard the USS Hopple (ARS-7) in accordance with Verbal orders of Commanding officer. Maneuvering to clear berth. Captain and Navigator on the Bridge. OOD has the Conn. 1318 Maneuvering to enter berth. 1326. Moored port side to USS Hopple ARS-7, berth alfa two (A-2), U.S. Naval Station, Pearl Harbor Hawaii. 1335 Secured special sea and Anchor Detail. 1900 Set Material Condition Yoke modified.

LTJG D.T. Johnson, USNR.

APPROVED:

Lt James R. Williams U. S. N. COMMANDING

EXAMINED:

LT R.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE TUESDAY (Day) 11 (Date) JANUARY (Month) 19 66

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 moored port side to USS Chapple (ARS-7) outboard berth alfa-two (A-2), U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines. (doubled) Material Condition yoke modified is set. Receiving miscellaneous services from the base. Ships present include various units of the U.S. Pacific Fleet, yard and District craft. SOPA is CINC PAC FLT. 0745 Muster the crew at quarters absentees: none

LTJG D.F. Johnson USNR.

08-24 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

LTJG [illegible], USN

APPROVED:

Lt James R Williams U. S. N. COMMANDING

EXAMINED:

LT R S Rose U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday (Day) 12 (Date) JAN (Month) . 1966

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored portside to the starboard side of USS Grapple (ARS-7) at berth Alfa-Two, U.S. Naval Station, Pearl Harbor, Hawaii; with standard mooring lines doubled. Material condition yoke modified is set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT. 0615 Commenced making preparations for getting underway. 0630 Mustered the crew at quarters, absentees: none. 0700 Completed making preparations for getting underway. 0710 Stationed the special sea and anchor detail. 0733 Underway to conduct ISE in accordance with COMFAIRWESTRU OPORDER 02-66. Captain and Navigator on the bridge. OOD at the CONN. Steering various courses at various speeds to clear the berth and stand out of the Pearl Harbor Channel. 0741 Passed buoy No 9 abeam to stbd, distance about 100 yds. 0743 Passed buoy 7 abeam to stbd, distance about 75 yds. 0748 Passed Buoy No 3 abeam to stbd, distance ~~dew~~ about 100 yds. 0741 Set Condition of Readiness III. N

LTJG [illegible], USN

08-12 Underway as before. 0803 Entered international waters. 0805 C/C 248; C/S 8 KTS. 0818 C/C 152. 0829 C/S 12 KTS. 0836 C/C 090 0838 C/C 100.

LTJG [illegible], USN

08-12 (CONTINUED) Underway as before. 0843 all STOP; 0844 C/S 12.7 KTS 0852 C/C 033°; C/S 9.5 KTS 0900 C/S 6.7 KTS. 0901 C/C 101. 0911 C/C 281 0913 COMMENCED swinging ship TO COMPENSATE MAGNETIC COMPASS. 0913 COMMENCE STEERING VARIOUS COURSES AT VARIOUS Speeds while SWINING Ship

Ens. F.C. Higgins, USNR

12-16 Underway as before. 1330 Completed SWINING ship. 1335 C/C TO 270; C/S 6.7 KTS. 1346 EXERCISED The crew at GENERAL QUARTERS. 1351 Material CONDITION Zebra SET. 1352 COMMENCED STEERING VARIOUS COURSES AT VARIOUS Speeds while EXERCISING at general Quaters.

LTJG D[illegible] Johnson, USNR

16-18 Underway as before 1602 Set material condition ~~Zebra~~ yoke; C/C 340, W C/S 6.7 KTS. 1613 C/C 352. 1616 Secured from General Quarters, Regular underway watch set. 1620 C/S 12.6 KTS 1624 C/S 9.6 KTS 1625 ENTERED INLAND waters; C/C 333. 1626 C/C 336. 1628 STATIONED the Special Sea

APPROVED: LT James R. Johnson S. N. COMMANDING

EXAMINED: LT D[illegible] Mason, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE Wednesday 12 JAN. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

and ancha detail. 1631 C/C 338

LTJG D.T. Johnson, USNR

16-18 (Continued) Underway as before. 1636 Commenced steering various courses at various speeds to conform with Pearl Harbor Channel. 1638 Passed Sea buoy No 2 abeam to STBD destance about 100 yds. 1647 Passed buoy No. 6 abeam to STBD destance about 75 yds. 1650 Commenced maneuvering to approach and moor outboard Grapple at Berth A-2. 1658 Moored portside to and outboard of USS Grapple (ARS-7) at berth A-2. U.S Naval Station, Pearl Hrbor Hawaii with standard mooring lines doubled. 1700 Secured the Special sea and ancha detail; set the regular inport watch. 1730 CINCPACFLT Departed Pearl Harbor. SOPA assumed by Deputy CINCPACFLT

CWO J.L. Hollis, USN

18-24. Moored as before. 1800 Set Material conditon Yoke (Modified) 1830 Mustered the duty inport fire party; absentees none.

CWO J.L. Hollis, USN

APPROVED: EXAMINED:

Lt James A. Johnson U. S. N. COMMANDING Lt R.S. Mason, U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ASNAKI (ATF 96) ZONE DESCRIPTION HOW DATE THURSDAY (Day) 13 (Date) JANUARY (Month) 1966

AT/P~~ASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 moored in a nest of two ships portside to and outboard of U.S.S. GRAPPLE (ARS-7) at Berth Alfa Two (A-2) U.S. Naval Station, Pearl Harbor, Hawaii. Material condition yoke (modified) set. Receiving telephone service from the pier. Ships present includes various units of the U.S. Pacific Fleet, District and Small craft. SOPA is Deputy Com. Pac. Fleet. 0630 mustered the crew at Quarters. Absentees: FE[2] absentee, None ~~None~~ ~~OS3, USN~~ 0645 Commenced preperations for getting underway. 0700 set material condition yoke main deck and below. 0710 set the Sectional Special Sea and Anchor detail. Draft: fwd. 14'-0" aft. 16'-1". 0719 Captain and navigator are on the Bridge. 0727 all stations manned and ready to get underway. OOD has the comm. 0738 Underway in accordance with Com 7th Fleet ops ord 2-66 — maneuvering on various Courses & speeds to clear berth. 0742 standard speed 8 Kts. Course 165° 0745 C/C ~~Base Course~~ 153°. Passed buoy # 5 abeam to stbd. 75 yds. 0756 passed Buoy #1 to stbd. 100 yds. 0758 C/C 196°.

Lwo D.C. Hollis, USN

08-12 Underway as before. 0801 Secured the Sectional Sea and Anchor detail set Condition 3 Watches. C/C 201°. 0808 C/C 248°. 0817 C/C 207°. 0818 C/C 248. 0820 C/C 152°. 0830 C/C 035°.

Lwo D.C. Hollis. USN

08-12 (continued) Underway as before. 0835 C/S to 6.7 kts. 0837 C/C to 090°. 0901 Entered international ~~inland~~ waters 0954 ~~Went to~~ Exercised the crew at N general quarters. Commenced various drills while at general quarters. 0915 Condition Zebra set. 0916 Steering various courses at various speeds while exercising at general quarters. 1129 Secured from general quarters 1115 N SET Material condition Yoke

Ens. F.C. Higgins, USCG

APPROVED:

LT James A. Wilkinson U. S. N. COMMANDING

EXAMINED:

LT D.S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE ~~WED~~ THURSDAY 13 JAN. 1966 01.
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Underway as before. 1215 c/s to 6.7KTS 1216 c/c to 220 1222 c/c to 260 c/s to 3.3 KTS. 1224. c/c to 2900 1234 Commenced Man overboard drills. Maneuvering on various courses at various speeds 1343 Secured from "Man Overboard drills. Base course 270 Base speed 6.7KTS. 1346. Commenced Steering Casualty drills. 1416 c/s to 3.3KTS 1425 c/c to 100°. 1510 c/c to 280. 1544 c/s to 6.7 KTS. C/c to 005. 1549 c/c to 315. 1555 c/c to 264. 1603 ~~c/c to 255.~~ 1610 c/c to 332 Commenced Running Simulated Swept Channel 01.

LTJG D T Johnson USNR.

16-20 Underway as before. 1603 c/c to 255 1610 c/c to 332 Commenced Running Simulated Swept Channel. 1612. c/c to 020 1615 c/c to 332. 1616 c/c to 310 1617 c/c to 332 1620 c/c to 335 1622 c/c to 069. 1632 c/c to 016. 1635 ~~Station~~ Special Sea and Cavcha Detail. 1637 entered ~~international~~ inland waters. 01. Commenced Maneuvering on various courses at Various Speeds while standing in Pearl Harbor Channel. 1646 all Stations report manned and ready. 1654 Captain and Navigator on the bridge. 000 has the Course passed between Seabuoys one and two Inbound. 1657. Lowered Workboat into the water port side 1705. Commenced ~~making~~ maneuvering to enter berth alfa-two (A-2) 01. outboard USS Krapple (ARS-7). 1717 Moored ~~outside~~ to USS ~~B~~Krapple (ARS-7) outboard of berth alfa-two A-2 U.S. Naval Station Pearl Harbor Hawaii. 1721 Secured Special Sea and Cavcha detail, Set Regular Inport Watch.

LTJG D T Johnson, USNR

16-20. (Continued) 1721 SOPA is Deputy CinCPACFlt. 1800 Set Material Condition Yoke (modified) 1815 Mustered the duty ~~for~~ port; absentees, none.

Ens. F.C. Kiggins USNR

20-24. Moored as before.

Ens. F.C. Kiggins USNR

APPROVED: EXAMINED:

LT James K Sullivan U. S. N. COMMANDING LT D T Nassa U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE FRIDAY (Day) 14 (Date) JAN. (Month) 19 66.

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø6 MOORED PORTSIDE TO U.S.S. GRAPPLE (ARS-7) WITH STANDARD MOORING LINES DOUBCED IN A NEST OF TWO (2) SHIPS. U.S.S. GRAPPLE (ARS-7) MOORED PORTSIDE TO BERTH ALFA - TWO (A-2) U.S. NAVAL STATION, PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS DEPUTY CINCPACFLT. Ø745 MUSTERED THE CREW AT QUARTERS; ABSENTEES, NONE.

ENS. F.C. Higgins, USNR

08-24 Moored as before 1000 Set Material Condition Yoke Modified.

LTJG D.F. Johnson

APPROVED:

U. S. N. COMMANDING

EXAMINED:

LT D.F. Johnson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SATURDAY 15 JAN. 1966.
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO _____

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____

POSITION	ZONE	TIME
1200		
L _____	BY	_____
λ _____	BY	_____

POSITION	ZONE	TIME
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-00 Moored portside to and outboard of the USS Grapple (ARS-7) in a nest of two ships at berth Alfa-two, (A-2), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke Modified is set. Receiving miscellaneous services from the pier. Ships present include Various Units of the U.S. Pacific Fleet, Mud and District craft. SOPA is Deputy ComPacFlt. 0745 Mustered the crew at quarters: absentees: None.

LTJG D. F. Johnson, USNR

08-24 MOORED AS BEFORE. 1800. SET MATERIAL CONDITION YOKE (modified)

LTJG M. Gnoriatte, USN

APPROVED:

LT James R. Williams U. S. N. COMMANDING

EXAMINED:

LT D. L. Rasen U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SUNDAY (Day) 16 (Date) JANUARY (Month) 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED PORTSIDE TO AND OUTBOARD OF USS GRAPPLE ARS-7 AT BERTH A-2, U.S. NAVAL STATION, PEARL HARBOR HAWAII WITH MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS DEP. CINCPACFLT. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

LTJG M Gmoriatte, USN

08-24 moored as before. 1800 set material yard (modified). 1820 mustered the duty fire party. Absentees none.

Lewo Jr Hollis, USN

APPROVED:

Lt. James Johnson U. S. N. COMMANDING

EXAMINED:

LT D Bass U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 17 (Date) JANUARY (Month) 1964

AT/PASSAGE ~~FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 moored port side to and outboard of U.S.S. GRAPPLE (ARS-7) with standard mooring lines doubled in a nest of two ships, Grapple moored portside to Berth alfa two (A-2) U.S. Naval Station pearl Harbor, Hawaii, material condition Yoke (modified) set, Receiving miscellaneous services from the pier. Ships present include various units of the U.S. pacific Flet, District and small Craft. S.O.P.A. is Deputy CinC Pac Flet. 0000 morning draft 14'-4" fwd - 16'-5" aft. 0700 mustered the Crew at Quarters. absentees: none. 0705 Set the Seational Sea and anchor detail. 0718 The Captain and navigator are on the bridge. 0730 all stations are manned and ready. 0737 OOD has the conn. Underway for local ops in accordance with Com Eltra Gpu. Op ord 3-66. Steering various courses at various speeds to conform to the charted Harbor and Channel. 0742 C/C 165° speed 6.7 Kts. 0745 passed Buoy #9 abeam to stbd. 100yds. 0750 C/C Base 153°, 0751 Set Watch Condition III. Set ~~Material~~ condition Zebra main deck & below. ~~At 0755 Set Condition Yoke on the Conn.~~ 0758 C/S ~~12.3 Kts.~~ 10.0 Kts. & Set Material Condition Yoke.

Lcdr JL Hollis, USN

08-12 (~~CONTINUED~~) UNDERWAY AS BEFORE. 0801 PASSED BETWEEN BUOYS 1&2. C/C TO 196. TRANSITING SIMULATED MINE FIELD. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO REMAIN IN SIMULATED SWEPT CHANNEL. 0816 ENTERED INTERNATIONAL WATERS. ~~0840 EXERCISED THE CREW AT GENERAL QUARTERS.~~

LTJG MJ Moriatta, USN

08-12 (CONTINUED) UNDERWAY AS BEFORE. 0840 (~~CONTINUED~~) EXERCISING THE CREW AT GENERAL QUARTERS. 1014 SECURED FROM GENERAL QUARTERS. 1026 ENTERED INLAND WATERS. 1029 STATIONED THE SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1037 PASSED CHANNEL BUOY NO. 2 ABEAM TO STARBOARD. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO PEARL HARBOR CHANNEL. 1048 MANEUVERING TO ENTER BIRTH ALFA-TWO (A-2). 1056 MOORED PORT SIDE TO BERTH ALFA-TWO (A-2), U.S. NAVAL BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED.

APPROVED: EXAMINED:

LT James R. Robertson U. S. N. COMMANDING LT D S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE MONDAY 17 JAN. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

ØØ-12 (CONTINUE) MOORED ~~AS~~ AS BEFORE. 1100 COMMENCED RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND YARD CRAFT. S.O.P.A IS CTG DEPUTY CinCPACFLT. FCH FCH

ENS. F.C. Higgin, USNR

12-24. MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

ENS. F.C. Higgins USNR

APPROVED: EXAMINED:

LT James R Williamson U. S. N. COMMANDING LT D J Rose U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY 18 JAN. 1966
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

0000-0008 moored ~~starboard~~ portside side to berth Alfa-Two (A-2) U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving miscellaneous services from the pier ships present include various units of the U.S. Pacific Fleet Yard and District craft. S.O.P.A. is Deputy Cinpac Ltr 0030. Commenced making preparations for getting underway. Mustered the crew on stations, absentees, present. 0733 underway in accordance with Comptuagru op-ord 3-66. to conduct tracking exercise and ISE. Captain and Navigator on the bridge OOD at the conn. Steering various courses at various speeds to conform to the Pearl Harbor Channel outbound. *0700 Set the sectional sea detail.

Cmdr. F.C. Higgins, USNR.

0800-1200 Underway as before. 0827 entered international waters. 0844 C/S to 3.3 kts. 0849 C/C to 350°. 0851 commenced steering various courses at various speeds while conducting anchorage exercise. 0908 entered inland waters. 0912 anchored in area South ~~Honolulu~~ Pearl, Pearl Harbor, Hawaii in 11 fathoms of water, sandy bottom with 30 fathoms of chain to the port anchor on the following bearings: EWA 349°, 13 PT 076.5, HICKAM TOWER 047.5 0923 anchors aweigh. In accordance with FTG OP-ord 3-66. steering various courses at various speeds in preparation for another anchorage. 1002 anchored in area South ~~Honolulu~~ Pearl, Pearl Harbor, Hawaii in 4 fathoms of water, sandy bottom with 30 fathoms of chain to the port anchor on the following bearings: ADRO 227.4, EWA 349, HICKAM TOWER 047. 1009 anchors aweigh in accordance with FTG OP-ORD 3-66. 1012 C/S to 3.3 kts 1013 C/S to 9.5 kts C/C to 305°. 1015 Secured Sea and anchor detail. 1027 C/C to 250°. 1025 Entered International waters, C/C to 230°. 1030 C/S to 6.7 kts. 1034 C/C to 270°. 1037 C/C to 259° magnetic. 1058 C/C to 270°M, C/S to 12.3 kts. 1106 C/S to 6.7 kts. C/C to 090°M

APPROVED: LT James A Williamson U. S. N. COMMANDING

EXAMINED: LT R S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE Tuesday 18 JAN. 19__
(Day) (Date) (Month)

REMARKS-CONTINUED

1107 c/s to 6.7 kts. 1113 c/s to 6.7 kts.

Gus F. C. Higgins, USNR.

12-16 Underway as before 1226 c/c to 066° 1234 commenced exercising at Steering casualty drill. 1249 Secured from steering casualty drill. 1250 c/c to 094° 1251 Exercising at General Quarters while conducting Tactical drills with the U.S.C.G. WINNEBAGO (WPG-40)**1445 Secured from Tactical drills and General Quarters with the U.S.C.G. WINNEBAGO (WPG-40)*1256 Set material condition Zebra

** 1445 Set material condition Yoke

Gus F. C. Higgins, USNR

12-16 (continued) 1457 made all preparations for entering port. c/s to 15 kts. 1502 c/c to 300, 1505 entered Inland waters, c/s to 12 kts. 1511 c/c to 308° 1519 c/c to 330°, 1520 Stationed the Special Sea and Anchor Detail. Commenced steering various courses at various speed while entering Pearl Harbor. 1530 passed buoy no. 2 abeam to port. 125 yards. 1550 moored portside to Berth K-2 (Alfa-Two) U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. S.O.P.A. is Dep. Cinkpacflt.

LTJG W. J. Moriello, USN

16-24 Moored as before. 1809 set material condition Yoke (modified)

LTJG D. F. Johnson, USNR

APPROVED: EXAMINED:

Lt James R. Sabelhaus U. S. N. COMMANDING LT R. D. Johnson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 19 (Date) JAN. (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO _____

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored port side to Berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous supplies from the pier. Material condition YOKE (modified) set. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT. 0630 Mustered the crew at quarters. Absentees: none. Commenced making preparations for getting underway. 0645 Set material condition YOKE. 0710 Set sectional sea detail. 0715 Completed all preparations for getting underway. Draft: fwd., 14'5"; aft. 15'10". 0725 Underway for local operations in accordance with COMFLTPACOPS op-shed 3-66 Maneuvering to clear the pier. Captain and navigator on the bridge. OOD at the conn. 0732 Steering various courses at various speeds while standing out of Pearl Harbor. 0742 Passed sea buoys 1 and 2 abeam. Commenced running simulated minefield. 0753 Entered international waters.

LTJG DT Johnson, USNR

08-12 Underway as before. 0816 Secured sectional sea detail. Set regular underway watch. 0816 Base course 085, base speed 8.6 kts. 0826 C/C TO 092. 0845 C/C TO 046. 0846 C/C TO 050. 0902 C/C TO 092. 0916 C/C TO 270 0917 C/C TO 210. 0918 C/C TO 090. 0925 C/C TO 270. 0938 C/C TO 110. 105 C/C TO 125. 1034 C/C TO 100. 1035 CINCPACFLT returned to Pearl Harbor and assumed SOPA. 1040 Exercised the crew at general quarters. 1044 Set material condition ZEBRA. Maneuvering on various courses at various speeds. 1139 Set material condition YOKE. 1145 Secured from general quarters. Set regular underway watch. 1147 C/C TO 290. 1158 C/C TO 226. 1159 C/S TO 6.7 KTS.

LTJG DT Johnson, USNR

12-16 Underway as before. 1213 C/C TO 270. 1245 Exercised at man overboard. Steering various courses at various speeds while maneuvering to effect recovery. 1301 Secured from man overboard exercise. Set course 232, speed 6 kts. 1303 Exercised the crew at

APPROVED: EXAMINED:

LT James R Williams U. S. N. COMMANDING LT D S Johnson U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE WEDNESDAY 19 JAN. 19 66
(Day) (Date) (Month)

REMARKS-CONTINUED

general quarters. Set material condition ZEBRA. Steering various courses at various speeds while exercising at general quarters. 1426 Conducted nuclear battle problem. 1526 Set material condition YOKE. 1523 Secured from general quarters. Set the regular underway watch. Set course 315 speed 6 kts. 1528 C/S TO 10 kts. 1535 C/C TO 045. 1542 C/C TO 075. 1545 Made all preparations for entering port. 1555 C/S TO 12 kts.

LTJG M. Moriarty, USN

16-20 Underway as before. 1607 C/C TO 018. 1623 C/C TO 290. 1630 Entered inland waters. 1631 C/C TO 011. 1638 C/C TO 015. 1641 Passed between buoys 1 and 2. C/C TO 333. Commenced steering various courses at various speeds while entering port. 1703 Moored port side to the starboard side of USS Conserver ARS-39 at berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving miscellaneous provisions from the pier. Ships present include various units of the U.S. Pacific fleet, yard and district craft. Sofa is ONCMAG-IT. 1800 Set material condition YOKE modified).

LTJG M. Moriarty, USN

20-24 Moored as before.

LTJG M. Moriarty, USN

APPROVED: EXAMINED:

Lt James A Johnson U. S. N. COMMANDING Lt R D Tobin U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 20 (Date) JAN (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO _____

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____

POSITION	ZONE	TIME
1200		
L _____	BY	_____
λ _____	BY	_____

POSITION	ZONE	TIME
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored port side to the starboard side of USS CONSERVER ARS-39 at berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition YOKE (Modified) is set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet yard and district craft. SOPA is CINCPACFLT. 0700 Mustered the crew at quarters. Absentees: none. 0730 Completed all preparations for getting underway. Set the special sea and anchor detail. 0747 Underway in accordance with verbal orders of Port Control to shift berths. Captain and navigator on the bridge. Steering various courses at various speeds while shifting berths.

LTJG M. J. Mansette, USN

08-12 Underway as before. 0808 Moored port side to to Berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. All conditions remain as before. Secured the special sea and anchor detail.

LTJG M. J. Mansette, USN

12-24 moored as before. 1800 ~~set material condition Yoke (modified)~~ 1530 USS CONSERVER (ARS-39) moored outboard to Starboard. 1800 set material condition yoke (modified) 1820 mustered the duty fire party for instructions. Absentees: none.

Ens J. D. Hollis, USN

APPROVED: LT James L. Johnson U. S. N. COMMANDING

EXAMINED: LT D. S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 21 (Date) JANUARY (Month). 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored port side to Berth alfa Two (A-2) U.S. Naval Station, Pearl Harbor Hawaii with Standard mooring lines doubled. USS. CONSERVER (ARS-39) moored outboard to starboard, material condition yoke (modified) Receiving miscellaneous services from the piers. Ships present include various units of the U.S. pacific fleet, District and Small Craft. S.O.P.A. is Cin Pac Flt. 0630 mustered the crew at Quarters. Absentees: none. 0710 set the sectional Sea detail, Captain and navigator are on the bridge. 0722 all stations manned and ready. 0748 Underway in accordance with Comoptra Cpu op ord. 3-66. maneuvering on various courses at various speeds, standing clear of traffic. OOD has the Conn. 0758 Base Course 165° base speed 6.7 Kts.

Lieu JC Hallis, USN

08-12 Underway as before. 0801 passed buoy #9 to sthd 100 yds. 0805 C/C ~~bow~~ 153° C/S 10 Kts. 0813 passed Buoy #1 W to sthd. 75 yds. outbound. 0814 C/C 196°, Secured the Sectional sea detail and set the towing detail. 0822 C/C 110°. 0826 C/C 070°. C/C 6.7 Kts. 0833 C/C 090°, C/S 9.5 Kts. 0737 C/C Base 200°, Commenced approach to take USS QUAPAW (ATF-110) in tow. Steering various courses at various speeds. Captain and navigator on the Bridge, Conducting Exercise Z-6-S, 0846 Commencing passing towing messenger & Hawser. 0850 C/S all stop. 0903 towing Hawser fast to Quapaw. Commenced towing - Base Course 190°, 0915 Base speed 7.0 Kts.* 0921 C/C 280°. 0925 C/C 190°, C/S 6.7 Kts. 0935 Commenced slowing to cast off tow. 0941 towing Hawser onboard. C/S all stop. Quapaw Commenced approach to pass Hawser & tow alongside. 1008 Hawser onboard and hooked up. 1010 Quapaw's Hawser cast off. Secured from Z-6-S exercise. Secured the towing detail and set the Highline detail C/S 6.7 Kts. C/C 180°. 1020 Commenced approach on Quapaw, for exercise Z-26-S. Base Course 180°, Base speed 10.0 Kts. 1022 LT NASON Has the Deck and Conn. 1024 Highline detail Manned and ready. C/C Base Course 130°, 1032 alongside Quapaw Messenger passed. Quapaw providing Rig. 1038 Highline, Hook & Up-phone & distance line over, marking at 90-95 feet. 0943 light freight passed. 0952 Rig is clear of Ship commenced maneuvering to sthd. to clear Quapaw Completed Exercise

APPROVED: EXAMINED:

LT James R Williams U. S. N. COMMANDING LT D D Nason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE FRIDAY 21 Jan 66
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 cont. 1055 Secured the Highline detail, set regular underway watch. Base course 000°, base speed 6.7 Kts. 1105 C/C 280°. OOD Has the Comm. 1106 C/C 300°. C/S 9.5 Kts. 1107 C/C 310°. 1123 C/C 050°, C/S 6.7 Kts. 1124 C/S 3.3 Kts. HST DOH ORIT Entered Interisland waters

Ens R C Hollis, USN

12-24 Underway as before. 1251 C/S to 9.5 Kts. 1253 C/C to 034°. 1258 C/S to 6.7 Kts. 1259 C/C to 300°. 1300 Commenced Man Overboard Drills, steering various courses at various speeds, while ~~exercising~~ Exercising at Man Overboard. 1310 Secured from Man Overboard Drill. 1311 C/S to 6.7 Kts. 1313 Went to General Quarters Set Material Condition Zebra. 1323 Simulated Rocket hit. 1324 Entered inland waters. 1343 Held abandon ship drill. 1359 Secured from abandon ship drill. Steering various courses at various speeds, while at General Quarters* 1411 Set Material Condition Yoke. 1415 Secured from General Quarters. 1417 C/S to 6.7 Kts. 1420 C/C to 235° 1431 C/C to 332°. 1446 C/C to 330°. 1450 C/C to 068°. *~~Entered inland International waters~~. 1453 C/C to 9.5 Kts. 1501 C/C to 016°. 1503 Stationed the Sea and Anchor detail. 1504 C/C to 020°. 1509 C/S to 6.7 Kts. ~~1510~~ C/C to 016°. *1510 Captain and Navigator on the bridge 1512 Passed Sea Buoy No. 2, 75 yards to starboard. Commenced steering various courses at various speeds conforming to Pearl Harbor Channel. 1529 Maneuvering to go alongside the pier. 1531 Moored portside to berth Alfa-Yard (A-2), U.S. Naval Base, Pearl Harbor, Hawaii., with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, Yard and District craft. S.O.P.A. is CINCPACFLT.

Ens R. C. Higgins, USNR

APPROVED: EXAMINED:

LT [signature] U. S. N. COMMANDING LT R S Rose U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY (Day) 22 (Date) JAN. (Month) 19 66

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-ØE MOORED PORT SIDE TO BERTH ALFA-TWO (A-2) U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YORE (MODIFIED) SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET. DISTRICT AND SMALL CRAFT. S.O.P.A. IS CinCPacFlt. Ø745 MUSTERED THE CREW AT QUARTERS; ABSENTEES; NONE.

ENS. F.C. Higgins, USNR

08-24
~~08-12~~ Moored as before 1800 Set material Condition Zebra Modified.

LTJG D.F. Johnson, USNR

APPROVED:

Lt. James R. Abbeduto U. S. N. COMMANDING

EXAMINED:

LT D. Thorn U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SUNDAY (Day) 23 (Date) JAN (Month). 1966.

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø8 Moored Port side to berth alfa-two (a-2), U.S. NAVAL Station, Pearl Harbor, Hawaii with standard mooring lines Doubled. Receiving miscellaneous services from the pier. Material Condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, Local and District Craft. SOPA is CINCPAC FLT. 0745 Mustered the crew on station. Absentees: None.

LNGO Johnson, USNR

Ø8-24 Moored As Before. 1800 Set Material Condition Yoke. (Modified)

LTJG Middleton, USN

APPROVED:

LT James R. Robertson U. S. N. COMMANDING

EXAMINED:

LT D S Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 24 (Date) JAN (Month). 1966

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 MOORED PORT SIDE TO BERTH A-2 U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. ~~0645 MUSTERED THE CREW AT QUARTERS.~~ 0645 MUSTERED THE CREW AT QUARTERS. ABSENTEES. NONE. 0700 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0730 COMPLETED PREPARATIONS FOR GETTING UNDERWAY. 0740 STATIONED THE SECTIONAL SEA DETAIL.

~~08-12~~

LTJG M. Monsiette, USN

08-12 Moored as Before. 0812 Underway in accordance with Comphibgru Weekly Op Sked ORD 4-66 to conduct local operations. Material Condition YOKE set. Captain and navigator on the bridge. OOD at the Conn. Maneuvering to clear the pier. 0815 Steering various courses at various speeds while leaving Pearl Harbor, Hawaii. 0819 Passed between buoys 6 and 7. 0823 Passed between buoys 3 and 4. 0826 Passed between buoys 1 and 2. 0831 Secured the sectional sea detail. Set the regular underway watch. 0835 C/C To 193. 0836 C/C To 194 0838 Entered international waters. C/C TO 248. 0844 C/C TO 260. 0857 C/C TO 270. 0924 C/C TO 330. 0925 C/S TO 12 KTS. 0928 C/S TO 10 KTS. 0931 C/C TO 029. 0939 C/C TO 031. 0942 C/C TO 032. 0950 C/C To 030. 0952 CONDUCTED ANCHORAGE DRILL. 0955 MANEUVERING at various courses at various speeds while Conducting ~~maneuvering~~ Anchoring exercises. 1036 Secured from anchoring drills. Commenced magnetic ~~12 to~~ piloting exercises. 1037 C/S To 12 Kts 1039 C/C TO 180. 1041 C/C TO 160. 1046 C/C TO 127 PSTGC. 1056 C/C 079 PSTGC 1102 C/S TO 10 KTS. 1103 C/C TO 060 PSTGC. 1110 Completed magnetic piloting. Commenced steering casualty drills. 1111 Steering various courses at various speeds while conducting steering drills. 1130 Completed steering casualties drills. Set course 125, speed 5 Kts.

LTJG M. Monsiette, USN

APPROVED: EXAMINED:

LT James R. Williamson U. S. N. COMMANDING Lt R. R. Noe U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE ~~24~~ MON 24 JAN 1966 (Day) (Date) (Month)

REMARKS-CONTINUED

12-16 (~~Continued~~) Underway as before. 1203 C/C 200° C/S 12Kts. Commenced steering various courses and speeds, providing Service Det for Exercise Z-10CC with USCG WINNEBAGO (WAG-406). 1240 Completed services C/C 135° C/S 12 Kts. ~~1240~~ 1254 C/C 320° C/S 6 Kts. Commenced tracking Winabago Conducting Exercise Z-10CC. 1342 Completed Exercise Z-10CC. C/C 090°. 1350 Lt. NASON has the deck and comm. Exercised the crews at General Quarters stations*. Steering Various courses at various speeds conducting tactical drills with Winabago in op areas South pearl, Barbers point. Winabago is O.T.C. 1458 Abnaki is O.T.C. 1554 C/C 090°, Spd 5.0 Kts. Set Material condition ~~4~~ Zeba. 1556 Secured from exercises. Secured from General quarters; set Material condition Yoke. 2nd

LCWO. J.D. Hollis, USN

16-20. UNDERWAY AS BEFORE. 1629 C/S to 10 kts. 1630 C/C to 293°, MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS, WHILE TRANSITTING THE MINEFIELD (INBOUND). 1640 COMMENCED PREPARATIONS FOR ENTERING PORT, SET THE SEA AND ANCHOR DETAIL. 1653 COMPLETED ~~FROM~~ MINEFIELD TRANSIT.* 1658 PASSED SEA BUOY NO. 1 ABEAM TO STARBOARD. 1700 COMMENCED STEERING VARIOUS COURSES, AT VARIOUS SPEEDS WHILE STANDING INTO PEARL HARBOR CHANNEL. 1714 MANEUVERING TO GO ALONGSIDE TO PORT OF THE U.S.S. QUAPAW (ATF-110) MOORED PORTSIDE TO BERTH ALFA-TWO (A-2).* 1717 MOORED PORTSIDE AND OUTBOARD TO U.S.S. QUAPAW (ATF-110). U.S.S. QUAPAW (ATF-110) MOORED PORTSIDE TO BERTH ALFA-TWO (A-2). 1724 SECURED THE SEA AND ANCHOR DETAIL, SET THE REGULAR INPORT WATCH.* Using STANDARD MOORING LINES DOUBLED. SET MATERIAL CONDITION YOKE (MODIFIED). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET, AND YARD AND DISTRICT CRAFT. S.O.PA IS C in C PAC FLT. 2nd

*1631 Entered Inland waters

ENS. F.C. Higgins, USNR

16-20 (cont) moored as before. 1830 set material condition yoke (modified). 1835 mustered the duty section for instructions on inport bills. absentees, none.

LCWO J.D. Hollis, USN

20-24 moored as before.

LCWO J.D. Hollis, USN

APPROVED: LT James A Wheeler U. S. N. COMMANDING

EXAMINED: LT R S Mac U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY 25 JANUARY 1966
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR - HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored portside to and outboard of U.S.S. QUAPAW (ATF-110) in a nest of two ships with standard mooring lines doubled. Quapaw moored portside to Berth Alba Two (A-2) U.S. Naval Station, Pearl Harbor Hawaii. Material condition Yoke (modified) set, receiving miscellaneous services from the pier. Ships present includes various units of the U.S. Pacific Flgt. Visited and Small craft. S.O.P.A. is ComPacFlt. 0600 draft. 13-10 fwd. 14-0 aft. 0730 mustered the crew at Quarters. Absentees, None

Lwo JC Hollis, USN

08-12. MOORED AS BEFORE. 0815 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE 0840 STATIONED THE SECTIONAL SEA DETAIL. 0903 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT FORWARD 14' 3", AFT 15'11" AFT. 0904 UNDERWAY FOR LOCAL OP AREA IN COMPLIANCE WITH FLTRAGRU OPORD 4-66. 0905 MANEUVERING TO CLEAR THE BERTH. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0912 STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF PEARL HARBOR. 0926. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING MINEFIELD TRANSITTING DRILL. 1016. SECURED FROM MINEFIELD TRANSITTING DRILL. 1023. ~~WENT TO~~ EXERCISED TO RIGHT GENERAL QUARTERS. 1025 SET MATERIAL CONDITION ZEBRA. COMMENCED CONDUCTING VARIOUS DRILLS WHILE AT GENERAL QUARTERS.

Ens. J.C. Higgins, USNR

12-16 Underway as before, steering Various Courses at Various Speeds while Exercising crew at general Quarters 1257 Set Material Condition Circle(William. 1415 Set material Condition Yoke 1418 Secured from General Quarters, set the regular underway watch 1423 c/c to 270 1429 c/c to 310 1432 c/c to 340 1438 c/s to 6.7 Kts. 1441 c/c to 020 1445 c/c to 100 1447 c/s to 3.3 Kts *1451 c/c to 332 1453 c/c to 090 1454 c/c to 332 1502 c/c to 340 1504 c/s to 6.7 Kts. 1509 c/s to 3.3 Kts 1512 c/c to 068 *Entered simulated mine field swept Channel. 1514. c/s to 6.7 Kts. 1525 c/s to 9.5 Kts* 1530 c/c to 096
* Entered Inland waters

LTJG D.T. Johnson, USNR

APPROVED: LT James R. Robertson U. S. N. COMMANDING

EXAMINED: LT D.S. Nash U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE TUESDAY 25 JAN. 19 66
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 (Continued)) 1532 c/s to 3.3 kts. 1536 Rotated special Second section detail. 1539 c/c to 020 1540 c/s to 9.5 kts. 1542 c/c to 025 1549. Passed abeam of Sea Buoys 1 and 2 inbound. 1547 c/c to 345° 1551 c/s to 9.5 kts 1552 c/c to 335. 1553 c/s to 6.7 kts 1556 c/c to 347. Commenced maneuvering on various Courses at various speeds while entering Pearl Harbor Channel.

LTJG DT Johnson USNR

1620 Underway as before. Maneuvering on various Courses at various Speeds while standing in Pearl Harbor Channel. 1600 commenced making approach to berth alfa-two. Maneuvering to enter berth. 1606 moored portside to berth alfa-two, U.S. Naval Station Pearl Harbor Hawaii with standard mooring lines Doubled. 1613 Secured the special Sea and Anchor Detail, Set the regular Inport watch.

LTJG DT Johnson, USNR

16-24 (CONTINUED) MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (MODIFIED). ACH

Ens J.C. Higgins USNR

APPROVED: EXAMINED:

Lt James R. Williams U. S. N. COMMANDING LT DS Ross U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE WEDNESDAY 26 JAN. 19 66
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Moored portside to berth alfa-two (A-2) with standard mooring lines doubled. U.S. Naval Station Pearl Harbor, Hawaii. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present includes various units of the U.S. Pacific Fleet, District and small craft. ISO.P.A. is CinCPACFLT. 0630 Mustered the crew at quarters; absentees: none. 0645 Commenced preparations for getting underway. 0710 Set the sectional Sea Detail. 0715 Completed all preparations for getting underway. Draft: forward 14'9", aft 15' 11". 0735 Underway in accordance with FltOrgPac OpOrd 4-66. 0736 Maneuvering to clear the berth. Captain and Navigator on the bridge. 0742 Steering various courses, at various speeds, standing out of Pearl Harbor. 0756 Passed Sea Buoy No. 1 abeam to starboard. 0757 C/C to 196°.

Ens. F.C. Higgins, USNR

08-12 Underway as before. 0802 C/C 200°. 0805 entered international waters, transiting simulated swept channel. 0807 C/C 298°. 0815 C/C 152°. 0826 secured condition III, watches and set regular underway watches, completed swept channel transit. C/C-090°. 0831 Commenced maneuvering on various courses at various speeds while conducting Engineering sectional drills - operating in South Pearl Harbor and South Honolulu op-areas.

CWO Jd Hollis, USN

APPROVED: EXAMINED:

Lt James R Gilleskie U. S. N. COMMANDING Lt P.D. Nash U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) DATE WEDS 26 JAN. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 Underway as before. 1216 C/C to 270°. 1239 Commenced Engineering Drills. 1309 C/C to 090° 1324 C/C to 000°. 1332 C/C to 015° 1340 C/C to 290°. Commenced minefield transiting exercise. 1427 Completed minefield transiting exercise. 1429 C/C to 090° 1437 C/C to 010°* 1440 C/C to 000° 1443 C/C to 001° *35 C/S to 9.5 kts 1445 C/C to 000° 1448 Went to General. 1450 Set material condition Zebra. *~~Exercised~~ at various drills while at General Quarters. *Exercising ~~TSH Entered international waters~~ Steering various courses at various speeds while at General Quarters

ENS. T. C. Higgins, USNR

16-24 Underway as before 1600 Secured from General Quarters. 1601 C/C to 010° 1603 C/S to 9.5 KTS. 1608 C/S to 3.3 KTS 1609 C/C to 290 1610 C/S to 9.5 KTS. 1611 C/C to 285° 1612 C/S 3.3 KTS. 1613 HE STOP. 1615 C/C to 275° C/S to 6.7 KTS 1617 C/C to 280° 1626 C/S to 9.5 KTS. 1627 C/C to 016. 1632 C/S to 3.3 KTS 1635 C/S to 9.5 KTS ~~Entered~~ ~~Entered~~ Entered inbound waters 1638. ~~Stationed~~ Special Sea and Anchor Detail * 1642. Passed abeam of Sea buoys 1 and 2 inbound. Maneuvering as various Courses at various speeds while standing up Pearl Harbor Channel. 1645. all preparations completed for entering port. 1650 commenced making approach to berth alfa two (A-2). 1658 Moored port side to berth alfa-two (A-2), U. S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. 1705 Secured Special Sea and Anchor Detail set the regular Inport watch. 1638 * Captain and Navigator on the bridge. 2000 has the Conn. 1800 Set Material Condition Yoke modified. 2025 Fankorn, Melvin L., FN, 290 42 93, USN, got his head when he accidentally hit his head against vent in Compartment B-2-E 2030 Fankorn, Melvin L, FN, 290 42 93, USN sent to dispensary for treatment of head wound. 2100 Fankorn, Melvin L, FN 290 42 93, USN Returned to ship.

LTJG D. F. Johnson, USNR

APPROVED: EXAMINED:

LT James R. Williamson U. S. N. COMMANDING LT R. D. Nau U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION HOW DATE THURSDAY 27 JAN. 19 66
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D.R.

REMARKS

ØØ-Ø8 Moored Port side to berth alfa-two (A-2), U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled up. Receiving miscellaneous services from the pier. Material Condition Yoke modified is set. Ships present exclude various Units of the U.S. Pacific Fleet, Ship and District craft. SOPA is CINC PACFLT. 0630 Mustered the crew at quarters, absentees: none. Commenced makeing preparations for getting underway. Material Condition Yoke is set. 0710 Stationed Sectional Sea Detail. Section one Draft forward 13'-10" aft 16'-0". 0725 Completed all preparations for getting underway. 0730 Underway for local op-areas for Compliance with COMFLETRAGRU OP-ORDER 4-66. Captain and Navigator on the bridge. 0800 has the Conn. Maneuvering to clear the berth. 0737 Commenced maneuvering on various Courses at various speeds steering out of Pearl Harbor. 0750 passed between Sea Buoys 1 and 2 abeam. Commenced Running Simulated minefield Swept Channel, Maneuvering on Various Courses at Various Speeds while transiting minefield. 0758 Secured Sectional Sea Detail, set the Sea Det Underway watch. 01

LTJG DT/Dunn USNR.

Ø8-12 Underway as before. Maneuvering on Various Courses & Various speeds. 0801 Entered international waters. 0822 Secured from Running Simulated minefield. Commenced making approach for Z-6-5, Tow and be Towed exercise with USS Conserver ARS-39. 0821 Stationed the towing detail. 0844 all Stations manned and ready. 0855 Captain has the Conn 0903 Message abv 0915 Commenced 01. towing USS Conserver ARS-39. Steering Various Courses at Various speeds. 1003. Secured from towing USS Conserver (ARS-39) 1010 000 has the Conn. 1014. A/E stopped waiting to be taken in tow by Conserver. 1039 Taken in tow by USS Conserver ARS-39. 1048. Secured from Z-6-5, Tow and be Towed exercise. Set high line detail for Conducting Z-26-5 with USS Conserver ARS-39 1049 all stations are manned and ready. Commenced making approach on USS Conserver ARS-39. Steering Various Courses at Various speeds while Conducting Z-26-5. 1107 Captain has the Conn.

LTJG DT/Johnson USNR

APPROVED: LT James L Williams U. S. N. COMMANDING

EXAMINED: LT R S Moore U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNARI (ATF-96) DATE THURSDAY 27 JAN. 1966 JCK
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 (Continued) Underway as before. 1117 Heaving line is connected up. 1134 all lines are back aboard each ship. 1138 Steamed heaving detail, set the regular Underway watch. Base course 080 Base speed 9.5 KTS. OOD has the Conn. 1140 C/S to 6.7 KTS. 1143 C/S to 5.3 KTS

LTJG D.F. Johnson USNR.

12-16 Underway as before. 1205 C/C to 033° 1212 C/C to 028 1310 Stationed the Anchor detail* 1313. Commenced steering various courses at various speeds while conducting a two-point moor. 1337 Anchored in Area South Pearl Honolulu, Pearl Harbor, Hawaii in 25 fathoms of water, gray, sandy bottom, with 60 fathoms of chain to the starboard anchor, and 400 feet of stern anchor wire out, on the following bearings PINEAPPLE, 049.5, ALOHA TOWER, 063°, ALCATRAZ 318.5° No other ships present. 1418 COMMENCED BACKING* on stern anchor, the anchor buoy line has fouled the screw. *at 3.3 KTS. 1429 Divers put in the water to clear the screw. 1509 The screw is cleared divers are back aboard. 1516 Commenced transferring Sig and motor whaleboat. 1311 Entered inland waters

ENS J.C. Higgins, USNR

16-20 Anchored as before. 1730 Set the special sea and anchor detail. 1740 Moored in the anchor. 1748 Maneuvering to clear the anchorage. 1753 Cleared anchorage. Set course 299 speed 12 Kts. 1803 C/C To 293. 1809 Passed between buoys 1 and 2. C/C To 333. C/S To 10 Kts. 1810 Commenced maneuvering as before various speeds while entering Pearl Harbor. 1816 Observed sunset. Turned on the running lights MJM

APPROVED: EXAMINED:

Lt James L Robertson U. S. N. COMMANDING LT R S Ross U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THUR (Day) 27 (Date) JAN (Month) 19 66

AT/~~PASSAGE FROM~~ LOCAL OP-AREAS TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

16-2d Continued) 1825. Made touch-and-go landing at Berth A-2, U.S. Naval ~~Ship yard~~ Station, Pearl Harbor, Hawaii to disembark FTG Observers. 1830 Underway in accordance with ComFltTrngPac weekly op-sked B-66 to conduct night steaming in local op-area. Maneuvering on various courses at various speeds while leaving Pearl Harbor. 1840 Secured the special sea and anchor detail. 1844 Passed between buoys 1 and 2. Set course 180, speed 12 kts. 1850 Entered international waters.

LTJG M.J. Morissette, USN

20-24 Underway as before. 2005 C/S TO 13.8 Kts. 2042 C/S TO 14.8 Kts. 2114 C/C TO 000. 2115 Commenced full power run. 2257 C/C TO 025. 2330 C/C TO 180.

LTJG M.J. Morissette, USN

APPROVED: Lt James R Johnson U. S. N. COMMANDING

EXAMINED: LT R S Nash U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 28 (Date) JAN (Month) . 19 66.

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø4 Steaming Independently in Pearl Harbor Op-areas BP and A-1 In accordance with COMFLETRAGRU OP-ORDER 4-66. Base Course is 180°, Base Speed 14.5 KTS. Material Condition Yoke Modified is set. Readiness Condition V, Engineering Condition III, Damage Control Condition III are set. Degaussing is on. Numbers 1, 2, 3, 4 main engines in the propulsion loop. No 2 S/S furnishing ships power. Conducted Full power Run, Z-110-E. Ø1ØØ 0117 Completed Full power Run successfully. C/C to 000° Commenced making various speeds while slowing down engines. Ø2ØØ Commenced. Z-111-E, Economy Run, C/S to 10 KTS. 0341 C/C to 180°.

2T/Jg D.F. Johnson, USNR.

Ø4 - Ø8 UNDERWAY AS BEFORE. Ø5Ø7 C/C to ~~5ØØ~~° Ø9Ø° Ø51Ø C/C to ØØØ°. Ø532 C/C to ØØ1°. Ø533 C/C to ØØ2°. Ø55Ø C/C to ØØ5°. Ø649 C/C to Ø15°. Ø653 C/C to Ø35°. Ø713 C/C to Ø75°. Ø739 C/C to 3Ø5°.

ENS. F.C. Higgins, USNR

08-12 Underway as before. 0800 C/C TO 340. 0801 Completed economy run C/C TO 310. * 0814 C/C TO 335. Made all preparations for entering port. * 0812 Set the special sea and anchor detail. Commenced steering various courses at various speeds while entering Kane Harbor. 0827 Passed buoy 2 abeam to Stbd, 100 yds. 0838 Passed buoy 6 abeam to Portside 75 yds 0922 Moored port side to with S-17 (fwd), U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition YOKE (modified) set. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. Ops is CINCPACFLT.
0928 Secured the special sea detail * 0805 ENTER INLAND WATERS

LT2G M.J. Monsiette, USN

APPROVED: Lt James L. McClain U. S. N. COMMANDING

EXAMINED: LT R.S. Mas U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABHAKI ATF-96 DATE FRI 28 JAN. 1966
(Day) (Date) (Month)

REMARKS-CONTINUED

12-24 moored as before. 1800 Set material Condition YOKE (modified).

LTJG M. Granville, USN

APPROVED: EXAMINED:

Lt James R. Delucchi U. S. N. COMMANDING Lt R. S. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY 29 JAN. 19 66
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ-Ø8 moored port side to berth Sierra Seventeen Fwd. (S-17 Fwd) U.S. Naval Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving miscellaneous services from the pier. Ships present include various ~~service~~ units of the U.S. Pacific Fleet, 14th District and small craft. SOPA is ~~DEPTH~~ Commdr 14th Flt. Ø745 mustered the crew at Quarters: Absentee: None.

Lcdr J.L. Hollis, USN

Ø8-24. MOORED AS BEFORE. Ø910 COMMENCED RESCUE AND ASSISTANCE DRILLS. 1441 SECURED FROM RESCUE AND ASSISTANCE DRILLS. 1800 SET MATERIAL CONDITION YOKE (MODIFIED).

ENS. T.C. Higgins USNR

APPROVED: EXAMINED:

Lt James R Schickram U. S. N. COMMANDING Lt R.D. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
1A-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABUAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SUNDAY (Day) 30 (Date) JAN (Month) 19 66

AT ~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
1200		
L _____	BY	
λ _____	BY	

POSITION	ZONE	TIME
2000		
L _____	BY	
λ _____	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ØØ—Ø6. MOORED PORTSIDE TO BERTH SIERRA-SEVENTEEN (S-17), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII., WITH STANDARD MOORING LINES DOUBLED. *RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLT, YARD AND DISTRICT SMALL CRAFT. S.O.P.A. IS CINCPAC FLT. *MATERIAL CONDITION YOKE (MODIFIED) IS SET. Ø745 MUSTERED THE CREW ON STATIONS; ABSENTEES, NONE.

ENS F.C. Higgins, USNR

Ø8-24 Moored as before. 1200 Set material Condition Yoke Modified

LTJG D.F. Johnson, USNR

APPROVED: Lt James R Robertson U. S. N. COMMANDING

EXAMINED: Lt R S Ross U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64)
IA-0105-401-4601

DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE MONDAY (Day) 31 (Date) JAN. (Month) 19 66.

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

POSITION	ZONE	TIME
0800		
L		BY
λ		BY

POSITION	ZONE	TIME
1200		
L		BY
λ		BY

POSITION	ZONE	TIME
2000		
L		BY
λ		BY

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-08 Moored Portside to Keith Sierra - Seventeen Forward (S-17) U.S. Naval Station Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke modified is set. Receiving miscellaneous services from the pier. Ships present include various Units of the U.S. Pacific Fleet, Yard and district small craft. SOPA is ~~Deputy~~ CINCPACFLT 0700 Mustered crew at Quarters; absentees: None. 0745 Commenced making preparations for getting underway. Set Material Condetion Yoke.

LTJG D.F. Johnson, USNR

08-12. Moored as before. 0800. Stationed special sea and anchor Detail. Draft Forward 14-10", aft 15-0". 0825 Completed all preparations for getting underway. 0830 Underway for local op-areas to conduct Refresher training in accordance with COMFLETRAGRU OP-ORDER 5-66. Captain and Navigator are on the bridge. 0830 has the Conn, Maneuvering to clear berth. 0840 Commenced steering various Courses at Various speeds standing out of Pearl Harbor. 0845. Commenced hoisting in Ships work boat. 0850 Work boat is on the Davits. 0916 passed between sea buoys 1 and 2. 0917. Commenced running simulated mine field swept Channel. Secured Special Sea and anchor Detail set the regular underway watch. Steering Various Courses while running Swept Channel. 0926 entered International waters. 0946. Secured from running the mine field. 0947. C/S to 9.5 KTS. C/C to 270. 0952 C/C to 270 0954 C/C to 250. ~~0955~~ 0956 C/C to 300* 1012. Set the anchor detail Commenced Precision Anchorage; Z-5-N, Steering Various Courses at Various speeds while Conducting Precision anchorage. 1023 all stations manned and ready. 1031 entered Inland waters 1045 Simulated dropping anchor. 1050 Commenced Radar Anchorage Z-14-CC. Maneuvering on Various Courses at various speeds. 1050 Entered international waters 1115 ~~07~~. entered inland waters. 1127. Simulated dropping anchor. 1135 Secured the Special Sea and Anchor Detail, Set the regular underway watch. 1136 C/C to 180 C/S to 12.3 KTS* 1140 C/C to 100 C/S to 6.0 KTS. 1144 C/C to 090 1150 Convoy Z-10-CC, CIC Tracking, ~~1037 entered Inland waters~~ * 1138 ENTERED International waters.

LTJG D.F. Johnson USNR

APPROVED:

LT James R Richardson U. S. N. COMMANDING

EXAMINED:

LT R.D. Mason U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS-719 (REV. 10-64) DECK LOG - REMARKS SHEET

USS ABNAKI ATF-96 DATE MONDAY (Day) 31 (Date) JAN (Month) 1966

REMARKS-CONTINUED

12-16 Underway as before. 1230 Completed CIC Tracking exercises with the USS Ute ATF-76. 1242 C/C TO 108, C/S TO 9KTS. 1302 C/C TO 140, C/S TO 6KTS. 1308 Commenced tactical exercises with USS Ute ATF-76. Steering various Courses at various speeds while maneuvering during tactical exercises. 1543 Completed Tactical Exercises. C/C TO 110, C/S TO 6KTS.

LTJG M J Morisette, USN

16-20 Underway as before. 1610 Conducted loss of steering exercise. 1620 Secured from Steering exercise and Commenced manoverboard exercise. maneuvering on various courses at various speeds. 1632 secured from exercises. C/C 290° - C/S 6.7KTS. C/S 9.5KTS. 1646 C/S 12.3 KTS. 1649 SET the Special Sea And Anchor detail. Captain and Navigator are on the Bridge. 1700 C/C 333° Base course. 1705 C/S 9.5KTS. 1707 passed Buoy #2 abeam 100 yards. 1710 Commenced maneuvering on various courses at various speed while approaching the berth. passed Buoy #6 abeam to stbd 75yds. 1716 moored port side to berth alfa-two (A-2) U.S. Naval Station. 1720 mooring lines secured. 1722 secured the special sea and anchor detail. Set the regular in-port watch. 1651 Entered Inland waters.

Lcdr J C Hallis, USN

16-20 (continued) Set material Condition Yoke (modified.

LTJG M J Morisette

20-24 Moored as before

LTJG M J Morisette.

APPROVED: LT James R Williams U. S. N. COMMANDING

EXAMINED: LT R S Nash U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH